


Job
Date
Time

5 col bar closs
16th April 2012
14:09:42






CONTENTS

pressSIGN

1	Job information
2	TVI - Tonal Value Increase
3 - 4	Colour
5	Lab Density
6	Measurements
7	Calibration Curves
8	NPDC
9	Score Trends
10 - 11	Value Trends
12 - 13	Production Mode
14 - 17	Single Patches




Job name :	5 col bar class
Printed by :	pressSIGN Demo Server (v4 pressSIGN Demo Server)
Press	16 colour digital printer
Ink & Paper :	Generic Coated Paper(Dry press sheet)
Device :	X-Rite Eye One ()
Dates / Times :	16th April 2012 14:09:42
Client :	Big Retail Customer
Measurements :	5 measurements averaged
Press Standard :	ISO 12647-2 Coated White Backing v4.5
Grey Balance :	ISO 12647-2 Paper Type 1/2 White Backing

Scoring




	SCORE	GRADE	
CMYK Primaries	(20/20)	●	<div style="display: flex; align-items: center;"> <div style="margin-right: 10px;"> <p>● 80%</p> <p>● 70%</p> <p>● 60%</p> <p>● Fail</p> </div> <div style="text-align: center;"> <div style="background-color: #00FF00; padding: 5px; font-weight: bold; font-size: 24px; margin-bottom: 5px;">99%</div> <div style="display: flex; justify-content: space-around; width: 100%;"> <div style="background-color: #00FF00; padding: 5px; font-weight: bold;">CMYK 98%</div> <div style="background-color: #00FF00; padding: 5px; font-weight: bold;">Spot 100%</div> </div> </div> </div>
Paper	(2/2)	●	
Overprint Lab	(9/9)	●	
Overprint Trap	(9/9)	●	
Grey Balance	(15/15)	●	
Dot Gain (TVI)	(28/28)	●	
Sheet Consistency	(21/22)	●	
Spot Colour	(10/10)	●	
Gamut Volume	(13037/13168)	99.00%	

TVI - Tonal Value Increase




Dot	Tolerance	Measured	Target
25.0%	(±3.0%)	37.5%	37.1%
50.0%	(±4.0%)	63.4%	67.0%
75.0%	(±3.0%)	87.6%	88.4%

Measured - - - - -
Target ———




Dot	Tolerance	Measured	Target
25.0%	(±3.0%)	35.7%	34.3%
50.0%	(±4.0%)	65.9%	64.3%
75.0%	(±3.0%)	87.5%	87.3%

Measured - - - - -
Target ———



Dot	Tolerance	Measured	Target
25.0%	(±3.0%)	34.8%	34.3%
50.0%	(±4.0%)	65.2%	64.3%
75.0%	(±3.0%)	88.3%	87.3%

Measured - - - - -
Target ———



Dot	Tolerance	Measured	Target
25.0%	(±3.0%)	33.7%	34.3%
50.0%	(±4.0%)	62.2%	64.3%
75.0%	(±3.0%)	86.3%	87.3%

Measured - - - - -
Target ———







Density Range	
	1.37
Max	1.45













	ΔE	D
Dry	1.70	1.36


Best	Target
ΔE 1.51	1.44

PANTONE 152 C




Lab - D50, 2° Observer. Density measured Status T relative to paper

COLOUR	MEASURED LAB			COLOUR	TARGET LAB			ΔE (TOLERANCE ΔEAB)		CMYK DENSITY (ESTIMATED)	
								68th Percentile	Print Contrast		
Cyan	55.16	-37.92	-48.82		55.00	-37.00	-50.00	1.61	1.55 (5.00)	41%	1.40 (1.41) C
Magenta	47.11	72.11	-5.46		48.00	74.00	-3.00	3.34	3.26 (5.00)	44%	1.59 (1.49) M
Yellow	86.91	-4.77	91.53		89.00	-5.00	93.00	2.70	2.66 (5.00)	-586%	0.98 (1.25) Y
Black	17.15	-0.84	-0.33		16.00	0.00	0.00	1.44	1.53 (5.00)	44%	1.56 (1.58) K
Solid Bar Orange (Gloss) PANTONE 152 C	60.40	38.59	65.60		61.44	42.48	70.22	1.71	1.70 (2.00)		1.42 (1.44) Hifi
Paper	93.29	-0.43	-1.44		94.00	0.00	-2.00	1.10	1.01 (5.00)		0.00 C
										Overprint Trap (Tolerance)	
Red(M+Y) Overprint	46.32	66.10	46.01		47.00	68.00	48.00	2.71	2.87 (5.00)	92% (85%)	1.71 M
Green(C+Y) Overprint	50.77	-65.99	28.27		50.00	-65.00	27.00	2.08	1.83 (5.00)	93% (90%)	1.25 C
Blue(C+M) Overprint	23.72	21.88	-47.62		24.00	22.00	-46.00	1.88	1.69 (5.00)	92% (90%)	1.37 C
Highlight	77.85	-1.51	-2.22		77.85	-0.24	-1.30	1.69	1.58 (2.00)		0.20 K
Mid Tone	62.38	-1.53	-2.26		60.91	-0.48	-0.68	2.45	2.42 (2.00)		0.41 K
Shadow	41.02	-0.88	-2.06		40.36	-0.33	-0.64	1.70	1.68 (2.00)		0.84 K



Measurements



	Measurements	Date / Time :	Overall	CMYK Primaries	TVI	Grey Balance	Overprint Lab	Overprint Trap	Paper	Sheet Consistenc y	Spot
1	5 col bar closs 001	16/04/2012 14:09	98%	(20/20)	(28/28)	(13/15)	(9/9)	(9/9)	(2/2)	(25/25)	(10/10)
2	5 col bar closs 002	16/04/2012 14:13	94%	(20/20)	(28/28)	(15/15)	(9/9)	(9/9)	(2/2)	(14/20)	(N/A)
3	5 col bar closs 003	16/04/2012 14:27	100%	(20/20)	(28/28)	(15/15)	(9/9)	(9/9)	(2/2)	(25/25)	(10/10)
4	5 col bar closs 004	16/04/2012 14:28	100%	(20/20)	(28/28)	(15/15)	(9/9)	(9/9)	(2/2)	(20/20)	(N/A)
5	5 col bar closs 005	16/04/2012 14:29	100%	(20/20)	(28/28)	(15/15)	(9/9)	(9/9)	(2/2)	(20/20)	(N/A)

Measured Tint Data



DOT	C	M	Y	K	PANTON E 152 C
0%	0.0%	0.0%	0.0%	0.0%	0.0%
2%	2.9%	2.8%	2.7%	3.1%	2.0%
5%	7.3%	7.1%	6.8%	7.8%	5.0%
10%	14.6%	14.2%	13.7%	15.5%	10.0%
20%	28.9%	28.1%	27.0%	30.1%	20.0%
25%	35.7%	34.9%	33.4%	36.7%	25.0%
30%	42.3%	41.5%	39.5%	42.8%	30.0%
40%	54.5%	54.2%	51.1%	53.6%	40.0%
50%	65.6%	65.9%	62.3%	63.7%	50.0%
60%	75.4%	76.3%	73.1%	74.0%	60.0%
70%	83.8%	85.0%	82.8%	83.5%	70.0%
75%	87.3%	88.6%	86.8%	87.5%	75.0%
80%	90.4%	91.6%	90.3%	90.9%	80.0%
90%	95.6%	96.3%	95.7%	96.1%	90.0%
95%	97.9%	98.3%	98.0%	98.1%	95.0%
100%	100.0%	100.0%	100.0%	100.0%	100.0%

Target Tint Data

DOT	C	M	Y	K	PANTON E 152 C
0%	0.0%	0.0%	0.0%	0.0%	0.0%
2%	2.8%	2.8%	2.8%	3.0%	2.0%
5%	7.0%	7.0%	7.0%	7.6%	5.0%
10%	14.0%	14.0%	14.0%	15.3%	10.0%
20%	27.6%	27.6%	27.6%	30.1%	20.0%
25%	34.3%	34.3%	34.3%	37.1%	25.0%
30%	40.7%	40.7%	40.7%	43.7%	30.0%
40%	52.9%	52.9%	52.9%	56.0%	40.0%
50%	64.3%	64.3%	64.3%	67.0%	50.0%
60%	74.7%	74.7%	74.7%	76.8%	60.0%
70%	83.6%	83.6%	83.6%	85.0%	70.0%
75%	87.3%	87.3%	87.3%	88.4%	75.0%
80%	90.6%	90.6%	90.6%	91.4%	80.0%
90%	95.8%	95.8%	95.8%	96.2%	90.0%
95%	98.0%	98.0%	98.0%	98.2%	95.0%
100%	100.0%	100.0%	100.0%	100.0%	100.0%



Plate Adjustment Tint Data











DOT	C	M	Y	K	PANTON E 152 C
0%	0.0%	0.0%	0.0%	0.0%	0.0%
2%	-0.0%	0.0%	-0.0%	0.0%	0.0%
5%	-0.2%	0.0%	-0.0%	0.0%	0.0%
10%	-0.5%	-0.2%	0.2%	-0.2%	0.0%
20%	-1.0%	-0.3%	0.5%	0.0%	0.0%
25%	-1.0%	-0.5%	0.7%	0.3%	0.0%
30%	-1.2%	-0.7%	1.0%	0.7%	0.0%
40%	-1.3%	-1.0%	1.5%	2.5%	0.0%
50%	-1.2%	-1.5%	1.7%	3.2%	0.0%
60%	-0.8%	-1.7%	1.5%	2.7%	0.0%
70%	-0.2%	-1.8%	1.0%	1.7%	0.0%
75%	0.0%	-2.0%	0.8%	1.2%	0.0%
80%	0.2%	-2.0%	0.5%	0.8%	0.0%
90%	0.3%	-1.2%	-0.0%	0.2%	0.0%
95%	0.2%	-0.7%	-0.0%	0.0%	0.0%
100%	0.0%	0.0%	0.0%	0.0%	0.0%


















ΔL - Max= 2.22, Average= 0.98ΔF
 - Max= 1.86, Average= 1.18


ΔL - Max= 3.01, Average= 1.48














Single Patches

COLOUR	MEASURED LAB			TARGET LAB				ΔE METHOD			
Solid Cyan, Solid Magenta, Solid Yellow	24.73	-0.60	0.07			22.40	-0.15	0.18	1.84	6.00	ΔEab
Paper	93.57	-0.35	-1.53			94.00	0.00	-2.00	0.73	6.00	ΔEab
Solid Black	16.80	-1.02	-0.36			16.00	0.00	0.00	1.37	6.00	ΔEab
Solid Cyan	55.28	-37.72	-48.68			55.00	-37.00	-50.00	1.53	6.00	ΔEab
Solid Magenta	46.95	72.07	-4.99			48.00	74.00	-3.00	2.97	6.00	ΔEab
Solid Yellow	87.00	-4.73	91.58			89.00	-5.00	93.00	2.53	6.00	ΔEab
22% Cyan, 16% Magenta, 17% Yellow	77.90	-1.40	-2.06			77.85	-0.24	-1.30	1.39	6.00	ΔEab
Red(M+Y) Overprint	46.48	65.77	45.36			47.00	68.00	48.00	3.54	6.00	ΔEab
Solid Black	16.85	-0.93	-0.41			16.00	0.00	0.00	1.33	6.00	ΔEab
Solid Cyan	55.20	-37.99	-48.90			55.00	-37.00	-50.00	1.52	6.00	ΔEab
Solid Magenta	46.94	72.14	-5.45			48.00	74.00	-3.00	3.26	6.00	ΔEab
Solid Yellow	87.08	-4.79	91.63			89.00	-5.00	93.00	2.59	6.00	ΔEab
Solid PANTONE 152 C	60.87	38.02	63.84			61.44	42.48	70.22	1.81		ΔE2000
22% Cyan, 16% Magenta, 17% Yellow	77.99	-1.42	-2.49			77.85	-0.24	-1.30	1.68	6.00	ΔEab
Red(M+Y) Overprint	46.57	66.24	46.04			47.00	68.00	48.00	2.66	6.00	ΔEab
72% Cyan, 62% Magenta, 62% Yellow	41.02	-0.75	-1.88			40.36	-0.33	-0.64	1.51	6.00	ΔEab
Green(C+Y) Overprint	50.76	-66.00	28.72			50.00	-65.00	27.00	2.12	6.00	ΔEab
Solid Black	16.98	-0.78	-0.30			16.00	0.00	0.00	1.32	6.00	ΔEab
Solid Cyan	55.36	-38.21	-48.73			55.00	-37.00	-50.00	1.79	6.00	ΔEab
Solid Magenta	47.13	72.29	-5.65			48.00	74.00	-3.00	3.27	6.00	ΔEab
Solid Yellow	87.07	-4.70	91.75			89.00	-5.00	93.00	2.33	6.00	ΔEab
Solid PANTONE 152 C	60.56	38.72	65.49			61.44	42.48	70.22	1.59		ΔE2000
72% Cyan, 62% Magenta, 62% Yellow	41.11	-0.77	-1.84			40.36	-0.33	-0.64	1.42	6.00	ΔEab
Green(C+Y) Overprint	51.05	-65.45	28.02			50.00	-65.00	27.00	1.53	6.00	ΔEab
45% Cyan, 35% Magenta, 36% Yellow	62.51	-1.42	-2.10			60.91	-0.48	-0.68	2.40	6.00	ΔEab
Blue(C+M) Overprint	23.87	22.04	-47.56			24.00	22.00	-46.00	1.62	6.00	ΔEab
Solid Black	17.39	-0.76	-0.24			16.00	0.00	0.00	1.64	6.00	ΔEab
Solid Cyan	55.33	-38.01	-48.77			55.00	-37.00	-50.00	1.63	6.00	ΔEab
Solid Magenta	47.35	72.10	-5.55			48.00	74.00	-3.00	3.25	6.00	ΔEab
Solid Yellow	86.91	-4.74	91.86			89.00	-5.00	93.00	2.42	6.00	ΔEab
Solid PANTONE 152 C	60.57	38.94	65.83			61.44	42.48	70.22	1.51		ΔE2000
45% Cyan, 35% Magenta, 36% Yellow	62.52	-1.54	-2.72			60.91	-0.48	-0.68	2.73	6.00	ΔEab
Blue(C+M) Overprint	23.74	21.83	-47.68			24.00	22.00	-46.00	1.71	6.00	ΔEab
25% Cyan	83.84	-9.19	-11.73			85.70	-7.26	-13.96	3.49	6.00	ΔEab
75% Yellow	87.68	-4.53	67.68			90.40	-4.71	68.13	2.79	6.00	ΔEab
Solid Black	17.24	-0.80	-0.51			16.00	0.00	0.00	1.57	6.00	ΔEab
Solid Cyan	55.16	-38.09	-48.92			55.00	-37.00	-50.00	1.56	6.00	ΔEab
Solid Magenta	47.00	72.42	-5.74			48.00	74.00	-3.00	3.33	6.00	ΔEab
Solid Yellow	87.03	-4.73	91.67			89.00	-5.00	93.00	2.41	6.00	ΔEab
Solid PANTONE 152 C	60.42	38.84	66.09			61.44	42.48	70.22	1.59		ΔE2000

(Continue)

Single Patches

COLOUR	MEASURED LAB			TARGET LAB				ΔE METHOD			
25% Magenta	81.93	13.26	-4.83			83.75	14.61	-4.95	2.26	6.00	ΔEab
75% Yellow	88.16	-4.23	66.76			90.40	-4.71	68.13	2.67	6.00	ΔEab
50% Cyan	74.14	-17.86	-25.47			75.48	-16.45	-26.38	2.15	6.00	ΔEab
50% Yellow	90.10	-3.98	40.04			91.68	-3.89	41.13	1.92	6.00	ΔEab
Solid Black	16.87	-0.88	-0.47			16.00	0.00	0.00	1.34	6.00	ΔEab
Solid Cyan	55.21	-38.11	-48.95			55.00	-37.00	-50.00	1.56	6.00	ΔEab
Solid Magenta	47.30	72.54	-5.43			48.00	74.00	-3.00	2.95	6.00	ΔEab
Solid Yellow	87.08	-4.93	92.36			89.00	-5.00	93.00	2.07	6.00	ΔEab
Solid PANTONE 152 C	60.45	38.73	65.81			61.44	42.48	70.22	1.62		ΔE2000
50% Magenta	70.37	30.35	-7.55			71.20	33.18	-6.21	3.24	6.00	ΔEab
50% Yellow	90.15	-3.87	39.95			91.68	-3.89	41.13	1.94	6.00	ΔEab
75% Cyan	64.44	-28.17	-38.35			64.82	-26.96	-39.03	1.45	6.00	ΔEab
25% Yellow	91.66	-2.68	17.56			93.32	-2.03	17.48	1.78	6.00	ΔEab
Solid Black	17.00	-0.91	-0.37			16.00	0.00	0.00	1.41	6.00	ΔEab
Solid Cyan	55.13	-38.01	-49.00			55.00	-37.00	-50.00	1.45	6.00	ΔEab
Solid Magenta	47.12	72.20	-5.48			48.00	74.00	-3.00	3.20	6.00	ΔEab
Solid Yellow	86.86	-4.72	91.73			89.00	-5.00	93.00	2.52	6.00	ΔEab
Solid PANTONE 152 C	60.43	38.68	65.87			61.44	42.48	70.22	1.64		ΔE2000
75% Magenta	58.13	51.65	-6.89			58.21	55.13	-5.51	3.75	6.00	ΔEab
25% Yellow	91.39	-2.30	17.53			93.32	-2.03	17.48	1.95	6.00	ΔEab
75% Black	41.42	-0.83	-1.38			41.39	-0.59	-1.17	0.32	6.00	ΔEab
25% Magenta	81.94	12.87	-5.01			83.75	14.61	-4.95	2.51	6.00	ΔEab
Solid Black	17.25	-0.82	-0.32			16.00	0.00	0.00	1.59	6.00	ΔEab
Solid Cyan	55.25	-37.57	-48.65			55.00	-37.00	-50.00	1.59	6.00	ΔEab
Solid Magenta	47.24	71.87	-5.55			48.00	74.00	-3.00	3.50	6.00	ΔEab
Solid Yellow	86.67	-4.73	91.30			89.00	-5.00	93.00	3.04	6.00	ΔEab
Solid PANTONE 152 C	60.43	38.45	65.64			61.44	42.48	70.22	1.71		ΔE2000
75% Black	41.61	-0.81	-1.48			41.39	-0.59	-1.17	0.44	6.00	ΔEab
25% Cyan	84.17	-8.24	-12.80			85.70	-7.26	-13.96	2.16	6.00	ΔEab
50% Magenta	69.78	30.30	-6.82			71.20	33.18	-6.21	3.27	6.00	ΔEab
50% Black	61.97	-1.86	-0.67			61.65	-0.34	-1.84	1.97	6.00	ΔEab
Solid Black	17.72	-0.85	-0.48			16.00	0.00	0.00	2.11	6.00	ΔEab
Solid Cyan	55.18	-37.62	-48.59			55.00	-37.00	-50.00	1.64	6.00	ΔEab
Solid Magenta	47.29	71.38	-5.42			48.00	74.00	-3.00	3.71	6.00	ΔEab
Solid Yellow	86.53	-4.68	91.51			89.00	-5.00	93.00	3.03	6.00	ΔEab
Solid PANTONE 152 C	60.18	38.43	65.65			61.44	42.48	70.22	1.84		ΔE2000
50% Cyan	74.03	-17.77	-25.05			75.48	-16.45	-26.38	2.37	6.00	ΔEab
50% Black	62.30	-2.23	-0.43			61.65	-0.34	-1.84	2.45	6.00	ΔEab
25% Black	78.20	-1.75	-1.06			79.44	-0.26	-2.19	2.24	6.00	ΔEab
75% Magenta	57.76	51.55	-6.73			58.21	55.13	-5.51	3.84	6.00	ΔEab
Solid Black	17.63	-0.91	-0.42			16.00	0.00	0.00	2.05	6.00	ΔEab


(Continue)

Single Patches

COLOUR	MEASURED LAB			TARGET LAB			ΔE METHOD				
Solid Cyan	55.10	-37.75	-48.58			55.00	-37.00	-50.00	1.75	6.00	ΔEab
Solid Magenta	47.02	71.56	-5.44			48.00	74.00	-3.00	3.68	6.00	ΔEab
Solid Yellow	86.72	-4.86	89.41			89.00	-5.00	93.00	4.41	6.00	ΔEab
Solid PANTONE 152 C	59.95	38.68	66.10			61.44	42.48	70.22	1.89		ΔE2000
25% Black	77.74	-1.89	-1.26			79.44	-0.26	-2.19	2.54	6.00	ΔEab
75% Cyan	64.35	-28.01	-37.80			64.82	-26.96	-39.03	1.69	6.00	ΔEab
Solid Cyan, Solid Magenta, Solid Yellow	24.91	-0.66	-0.09			22.40	-0.15	0.18	2.06	6.00	ΔEab
Paper	93.18	-0.47	-1.41			94.00	0.00	-2.00	1.11	6.00	ΔEab
Solid Black	17.21	-0.93	-0.25			16.00	0.00	0.00	1.68	6.00	ΔEab
Solid Cyan	54.96	-38.07	-49.01			55.00	-37.00	-50.00	1.46	6.00	ΔEab
Solid Magenta	46.85	72.34	-5.46			48.00	74.00	-3.00	3.19	6.00	ΔEab
Solid Yellow	86.90	-4.86	92.10			89.00	-5.00	93.00	2.33	6.00	ΔEab
Solid PANTONE 152 C	60.20	38.72	66.18			61.44	42.48	70.22	1.73		ΔE2000
Solid Cyan, Solid Magenta, Solid Yellow	24.35	-0.74	0.02			22.40	-0.15	0.18	1.54	6.00	ΔEab
Paper	93.32	-0.41	-1.46			94.00	0.00	-2.00	0.97	6.00	ΔEab
22% Cyan, 16% Magenta, 17% Yellow	77.73	-1.62	-2.14			77.85	-0.24	-1.30	1.60	6.00	ΔEab
Red(M+Y) Overprint	46.15	66.23	46.45			47.00	68.00	48.00	2.51	6.00	ΔEab
Solid Black	17.27	-0.90	-0.20			16.00	0.00	0.00	1.71	6.00	ΔEab
Solid Cyan	55.11	-37.98	-48.82			55.00	-37.00	-50.00	1.54	6.00	ΔEab
Solid Magenta	47.09	72.22	-5.68			48.00	74.00	-3.00	3.35	6.00	ΔEab
Solid Yellow	86.90	-4.69	92.20			89.00	-5.00	93.00	2.27	6.00	ΔEab
Solid PANTONE 152 C	60.32	38.75	65.09			61.44	42.48	70.22	1.73		ΔE2000
22% Cyan, 16% Magenta, 17% Yellow	77.81	-1.59	-2.31			77.85	-0.24	-1.30	1.71	6.00	ΔEab
Red(M+Y) Overprint	46.08	66.25	46.29			47.00	68.00	48.00	2.62	6.00	ΔEab
72% Cyan, 62% Magenta, 62% Yellow	40.76	-0.92	-2.24			40.36	-0.33	-0.64	1.78	6.00	ΔEab
Green(C+Y) Overprint	50.63	-66.34	28.32			50.00	-65.00	27.00	1.99	6.00	ΔEab
Solid Black	16.70	-0.97	-0.30			16.00	0.00	0.00	1.26	6.00	ΔEab
Solid Cyan	55.09	-37.90	-49.01			55.00	-37.00	-50.00	1.35	6.00	ΔEab
Solid Magenta	47.14	72.32	-5.36			48.00	74.00	-3.00	3.04	6.00	ΔEab
Solid Yellow	87.19	-4.93	91.66			89.00	-5.00	93.00	2.26	6.00	ΔEab
Solid PANTONE 152 C	60.30	38.59	65.30			61.44	42.48	70.22	1.75		ΔE2000
72% Cyan, 62% Magenta, 62% Yellow	41.32	-1.13	-2.30			40.36	-0.33	-0.64	2.03	6.00	ΔEab
Green(C+Y) Overprint	50.73	-65.99	27.76			50.00	-65.00	27.00	1.45	6.00	ΔEab
45% Cyan, 35% Magenta, 36% Yellow	62.28	-1.47	-2.30			60.91	-0.48	-0.68	2.39	6.00	ΔEab
Blue(C+M) Overprint	23.44	22.04	-47.76			24.00	22.00	-46.00	1.85	6.00	ΔEab
Solid Black	16.82	-0.91	-0.27			16.00	0.00	0.00	1.28	6.00	ΔEab
Solid Cyan	55.07	-37.98	-49.02			55.00	-37.00	-50.00	1.39	6.00	ΔEab
Solid Magenta	46.97	72.31	-5.60			48.00	74.00	-3.00	3.27	6.00	ΔEab
Solid Yellow	86.85	-4.66	91.50			89.00	-5.00	93.00	2.65	6.00	ΔEab
Solid PANTONE 152 C	60.26	38.68	65.99			61.44	42.48	70.22	1.72		ΔE2000
45% Cyan, 35% Magenta, 36% Yellow	62.21	-1.75	-1.97			60.91	-0.48	-0.68	2.17	6.00	ΔEab

(Continue)

Single Patches



COLOUR	MEASURED LAB			TARGET LAB			ΔE METHOD				
Blue(C+M) Overprint	23.90	21.45	-47.42			24.00	22.00	-46.00	1.53	6.00	ΔEab
25% Cyan	84.17	-8.37	-12.48			85.70	-7.26	-13.96	2.40	6.00	ΔEab
75% Yellow	87.89	-4.37	65.98			90.40	-4.71	68.13	3.32	6.00	ΔEab
Solid Black	16.95	-0.62	-0.10			16.00	0.00	0.00	1.17	6.00	ΔEab
Solid Cyan	55.10	-37.80	-48.74			55.00	-37.00	-50.00	1.50	6.00	ΔEab
Solid Magenta	47.24	71.92	-5.23			48.00	74.00	-3.00	3.16	6.00	ΔEab
Solid Yellow	86.95	-4.68	91.04			89.00	-5.00	93.00	2.87	6.00	ΔEab
Solid PANTONE 152 C	60.60	38.40	66.07			61.44	42.48	70.22	1.65		ΔE2000
25% Magenta	82.32	12.98	-4.67			83.75	14.61	-4.95	2.18	6.00	ΔEab
75% Yellow	88.38	-4.44	65.06			90.40	-4.71	68.13	3.69	6.00	ΔEab
50% Cyan	74.09	-17.62	-25.11			75.48	-16.45	-26.38	2.21	6.00	ΔEab
50% Yellow	89.97	-3.84	39.86			91.68	-3.89	41.13	2.14	6.00	ΔEab
Solid Black	16.93	-0.63	-0.26			16.00	0.00	0.00	1.15	6.00	ΔEab
Solid Cyan	55.07	-37.96	-48.73			55.00	-37.00	-50.00	1.59	6.00	ΔEab
Solid Magenta	46.96	72.01	-5.12			48.00	74.00	-3.00	3.12	6.00	ΔEab
Solid Yellow	86.91	-4.92	91.24			89.00	-5.00	93.00	2.74	6.00	ΔEab
Solid PANTONE 152 C	60.47	38.48	65.81			61.44	42.48	70.22	1.68		ΔE2000
50% Magenta	70.42	30.15	-6.83			71.20	33.18	-6.21	3.20	6.00	ΔEab
50% Yellow	90.09	-3.95	39.75			91.68	-3.89	41.13	2.11	6.00	ΔEab
75% Cyan	64.38	-27.51	-37.92			64.82	-26.96	-39.03	1.32	6.00	ΔEab
25% Yellow	91.18	-2.41	17.45			93.32	-2.03	17.48	2.17	6.00	ΔEab
Solid Black	17.54	-0.83	-0.32			16.00	0.00	0.00	1.79	6.00	ΔEab